Shigella

Molecular and Cellular Biology

Edited by:

William D. Picking and Wendy L. Picking

Department of Pharmaceutical Chemistry University of Kansas Lawrence KS, USA picking@ku.edu



Copyright © 2016

Caister Academic Press, UK www.caister.com

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publisher. No claim to original government works.

ISBN: 978-1-910190-19-7 (paperback) ISBN: 978-1-910190-20-3 (ebook)

Ebooks

Ebooks supplied to individuals are **single-user only** and must not be reproduced, copied, stored in a retrieval system, or distributed by any means, electronic, mechanical, email, internet or otherwise.

Ebooks supplied to academic libraries, corporations, government organizations, public libraries, and school libraries are subject to the terms and conditions specified by the supplier.

Contents

Pre	face5
1	Shigella and Shigellosis
2	Shigella Iron Transport Systems
3	Shigella and Antivirulence: the Dark Side of Bacterial Evolution
4	The Genetic Organization and Transcriptional Regulation of <i>Shigella</i> Virulence Genes
5	Ribo-regulation in Shigella
6	IpaB Ion Channels Induce Pyroptosis in Macrophages
7	The Cellular Microbiology of <i>Shigella</i> Invasion of Epithelial Cells
8	The Molecular Role of the Polar Outer Membrane Protein IcsA (VirG) in <i>Shigella</i> Actin-based Motility
9	Trans-epithelial Communication in the Context of <i>Shigella</i> Infection
10	Imaging Techniques to Track <i>Shigella</i> Infection at the Cellular Level
11	Immune Responses Against <i>Shigella</i> During Natural Infection and Induced by Vaccination229 Francisco Martinez-Becerra
12	Dissecting <i>Shigella flexneri</i> Type III Secretion System Tip Complex Maturation243 Olivia Arizmendi and Nicholas E. Dickenson
13	Molecular Approaches to Identifying Type 3 Secreted Effectors: a <i>Shigella</i> Case Study
Ind	ex

Current books of interest

•	Aquatic Biofilms: Ecology, Water Quality and Wastewater Treatment	2016
•	Alphaviruses: Current Biology	2016
•	Thermophilic Microorganisms	2015
•	Flow Cytometry in Microbiology: Technology and Applications	2015
•	Probiotics and Prebiotics: Current Research and Future Trends	2015
•	Epigenetics: Current Research and Emerging Trends	2015
•	Corynebacterium glutamicum:	
	From Systems Biology to Biotechnological Applications	2015
•	Advanced Vaccine Research Methods for the Decade of Vaccines	2015
•	Antifungals:	
	From Genomics to Resistance and the Development of Novel Agents	2015
•	Bacteria-Plant Interactions: Advanced Research and Future Trends	2015
•	Aeromonas	2015
•	Antibiotics: Current Innovations and Future Trends	2015
•	Leishmania: Current Biology and Control	2015
•	Acanthamoeba: Biology and Pathogenesis (2nd edition)	2015
•	Microarrays: Current Technology, Innovations and Applications	2014
•	Metagenomics of the Microbial Nitrogen Cycle:	
	Theory, Methods and Applications	2014
•	Pathogenic Neisseria: Genomics, Molecular Biology and Disease Intervention	2014
•	Proteomics: Targeted Technology, Innovations and Applications	2014
•	Biofuels: From Microbes to Molecules	2014
•	Human Pathogenic Fungi: Molecular Biology and Pathogenic Mechanisms	2014
•	Applied RNAi: From Fundamental Research to Therapeutic Applications	2014
•	Halophiles: Genetics and Genomes	2014
•	Molecular Diagnostics: Current Research and Applications	2014
•	Phage Therapy: Current Research and Applications	2014
•	Bioinformatics and Data Analysis in Microbiology	2014
•	The Cell Biology of Cyanobacteria	2014
•	Pathogenic Escherichia coli: Molecular and Cellular Microbiology	2014
•	Campylobacter Ecology and Evolution	2014
•	Burkholderia: From Genomes to Function	2014
•	Myxobacteria: Genomics, Cellular and Molecular Biology	2014
•	Next-generation Sequencing: Current Technologies and Applications	2014
•	Omics in Soil Science	2014
•	Applications of Molecular Microbiological Methods	2014
•	Mollicutes: Molecular Biology and Pathogenesis	2014
•	Genome Analysis: Current Procedures and Applications	2014

www.caister.com

Preface

Members of the genus *Shigella* are responsible for a moderate to severe dysenteric syndrome called shigellosis. This form of bacillary dysentery is ubiquitous around the world with greatly elevated morbidity and mortality in developing nations. Typical symptoms include diarrhea, fever, and stomach cramps starting one or two days after ingestion of contaminated food or water. In many cases the initial diarrhea then turns bloody and contains mucus. Patients in developed nations do not usually require hospitalization, however, children can develop severe symptoms that require immediate medical care to prevent dehydration and longer term effects. This is especially true for children between the ages of two and five in underdeveloped parts of the world where there are simultaneous threats of malnourishment and high incidence of other infectious diseases.

As considered here, the genus *Shigella* is considered a stand-alone group of species that specifically cause diarrhea in humans. They were discovered over 100 years ago and classified as four distinct species containing numerous O antigen serotypes. In reality, the *Shigella* species are so closely related to *Escherichia coli* that they should possibly not be classified as a genus but rather a distinctive species within the genus *Escherichia* (for example, see: Fukushima, et al. (2002) Phylogenetic Analysis of *Salmonella*, *Shigella*, and *Escherichia coli* Strains on the Basis of the *gyrB* Gene Sequence. J. Clin. Microbiol. 40:2779-85 & van den Beld and Reubsaet (2012) Differentiation between Shigella, enteroinvasive Escherichia coli (EIEC) and noninvasive Escherichia coli. Eur. J. Clin. Microbiol. 31:899-904). Nevertheless, the vast majority of cases of bacillary dysentery are attributable to what we refer to here as *Shigella* and they thus warrant special consideration as a diarrheal pathogen of global public health importance.

This book is roughly divided into three sections that bring us up to date on the molecular biology of *Shigella*. The first section will explore essential aspects of metabolism and gene regulation in this human adapted pathogen. Topics here include the acquisition of limiting iron as an essential means for survival within the host, the evolution of the *Shigella* genome to make its pathogenic lifestyle compatible with its metabolism, and the mechanisms by which virulence genes are expressed. This section explores critical aspects of the molecular and cellular biology of *Shigella* as it has diversified from its evolutionary place among the *Escherichia coli*. While there is much more to be learned about the metabolomics and genomics of *Shigella*, this section provides the reader with a flavor of often overlooked features of bacterial pathogens and the recently developed appreciation for RNA-based regulation of gene expression.

The second section of this work focuses on the important area of host-pathogen interplay. *Shigella* is among a group of organisms for which a wealth of information exists on its ability to subvert host signaling processes for the benefit of the pathogen. Humans have evolved to fight infections by a variety of innate and adaptive processes, however, the most successful human pathogens have developed exquisite means for avoiding these processes to allow them to gain a foothold to ultimately allow colonization and cause host cell damage. *Shigella* has evolved specific mechanisms to trigger pathways for the destruction of phagocytes (macrophage killing) that are portrayed differently to intestinal epithelial cells which are prompted to internalize the bacterial pathogen to provide an intracellular niche where it can replicate and spread to neighboring cells. All three of these topics are covered in excellent detail in this section of the book, however, *Shigella*

interplay with the host is only beginning to be fully appreciated. The ability for this pathogen to alter signaling pathways within tissues is also a topic of interest and this is evident from its manipulation of host innate immunity and its ability to elicit signals across the intestinal epithelium. A full understanding of all of these events is prompting the development of novel methods for assessing the host cell targets that are subverted by the effector proteins that *Shigella* skillfully delivers, which is also addressed in this section. Lastly, an overview of the adaptive immunity elicited by *Shigella* infection is presented along with a comparison of this response with that induced by current *Shigella* vaccine candidates.

In the final section of this book, two aspects of what is probably Shigella's most prominent virulence are discussed. The Shigella type III secretion system is considered one of the paradigms for type III secretion in Gram-negative bacteria. The T3SS is recognized as a highly evolved nanomachine for promoting cross-species communications between prokaryotes and eukaryotes in what are often pathogenic relationships, but which can be symbiotic in some cases. While we have not gone into tremendous detail on the overall structure of the type III secretion apparatus (T3SA), two chapters are dedicated to dynamic aspects of the Shigella T3SS. One is the nature of the needle tip complex of the T3SA which is essential for sensing contact with host cells and ultimately creating the translocon pore through which effector proteins are delivered into host cells. The second chapter describes new methods that are allowing the identification of newly recognized effector proteins that are the tools by which Shigella alters target cell behavior. It should be noted, however, that previous chapters also touch upon the topics of type III secretion and the manipulation of host cell signaling by effector proteins. Thus, all the sections of this book should be viewed as an integrated overview of the molecular and cellular biology of Shigella and its human host.

There are many important facets of *Shigella* that are not covered in this book, but these are by no means to be slighted by their omission. The overall goal of this compendium is to provide the researcher, especially those new to the field, with a flavor of some of the topics that are important as we move forward in understanding *Shigella* the pathogen and the delicate balance it has with its primary host – human beings. Just a few of the topics not covered here would include the importance of lipopolysaccharide as a virulence factor and the effect of newly developed antibiotic resistances on the changing epidemiology of shigellosis. We hope it is thus clear to the reader that much remains to be learned about this organism and the public health problem it poses.

We would like to express our gratitude to the authors who contributed to this book and we thank them for their important contributions to our current understanding of *Shigella* and shigellosis. We also thank the publisher for realizing the importance of providing this overview of the research being done on the cellular and molecular biology of this pathogen and how they contribute to bacillary dysentery.

William D. Picking Wendy L. Picking

Index

A

ABC transporter 30-31, 34, 244 Abl 217 Actin-based motility 67, 169-171, 178-179, 181, 183, 219 Adherent junction 200 Aerobactin 32, 39, 41, 52 Akt 161 Antimicrobial peptide 194, 201, 231 Anti-sense RNA 111, 114, 115 Antivirulence genes (AVG) 49-54, 56-59 Apoptosis 56, 146, 170, 196, 233 ArcA 36-37, 76, 90 ArcB 36 ARF1p/2p 163 Arg/Abl 154-255 Arp2/3 153, 157-158, 180-181, 183, 199 ATG5 183-184, 198, 232 Autophagy 198, 221-222, 232 Autophagy protein 5 See ATG5 Autotransporter 172, 174, 177

В

Bacterial effector analyzer 269 Bacterioferritin 31

С

CadA 49, 53-56 Cadherin 183, 196-197 Calcium 156-157 Caspase 139, 143-146, 162, 201, 233 Catenin 196 CCL20 231, 234 CD4 235-236 CD44 13, 156, 162, 249 CD8 235 Cdc42 153-154, 157-158, 180, 198, 251 Cir 32 Claudin 195, 197 Cofilin 181-182, 199 Connexin 162, 200 Conserved chaperone binding domain (CCBD) 270 Coprogen 32 Correlative light electron microscopy (CLEM) 212, 214, 221

Cortactin 155, 198 CpxR 76, 87-88 Cra 76 Crk 154-155, 198 CsrA 76, 90, 118, 123 CsrB 118, 122 CsrC 122 Curli 53

D

Danger-associated molecular patterns (DAMP) 201 DegP 174 Deoxycholate (DOC) 248-249, 251 Dimethyldodecylamine-N-oxide (LDAO) 141 DnaK 178 Dock180 159 Dynamin-2 222

Ε

Enteroinvasive *E. coli* (EIEC) 52, 54, 56, 66-67, 171, 245 ELMO 159 Enterobactin 31 Enteroendocrine cell 193-194 Epsin-1 222 ERK 202, 204, 217, 234 ERM 162 EvgA 120-122 Exb 30 Extracellular ATP 162 Ezrin 154, 162, 199

F

F-actin 154, 160, 180, 198-199, 221 Fec 33 Feo 33-34, 37, 39 Ferrioxamine B 32 Filamin 199 Filopodia 155 FIS 86 Flagellar system 53, 58 FIASH 212-216, 223 Fluorescence recovery after photobleaching (FRAP) 213, 217

Fluorescence resonance energy transfer (FRET) 213, 216, 218-219, 223, 250 Formin 153, 182-183 FtsQ 177-178 FtsZ 177 Fumarate and nitrate reduction (FNR) 36-37, 88, 90, 92 Fur 27, 34-36, 76, 89, 121

G

Galectin-3 219, 222 GAP 163 GEF 154, 158-159, 161-162 Global enteric multicenter study (GEMS) 9 Goblet cell 193-194, 230

Н

Heme 27, 30, 32-33, 38, 126 Hemolytic uremic syndrome 11 Hepoxilin A3 (HXA3 202-203) Hfq 34, 112, 118 H-NS 65, 69-73, 76-79, 81-82, 91-93

I

IcsA/VirG 58, 67, 73, 77-78, 82, 119, 124-125, 169-170, 172-176, 178-184, 198, 232, 249, 262 IcsB 81, 83, 92, 162, 172, 198-199, 221, 232, 262-263, 266-267, 269, IcsP 81-82, 89, 174-176 IFN-gamma 233-234, 236 IHF 76, 86 IKK (IkB kinase) 203 IL-10 236 IL-17 236 IL-18 152, 201 IL-1beta 140, 144, 152, 197, 201 IL-8 152, 204, 231-232 Inflammasome 162, 201 Inositol 156-157, 160-161, 180, 236 Integrin 13, 155, 160-161 Invasion plasmid antigens (Ipa) 12-13 IpaA 13-14, 67, 157, 159, 160, 198, 261, 264, 266-267 IpaB 12, 39, 139-146, 155-156, 162, 198, 213, 232, 246, 249, 250-251, 260-261, 264-265 IpaC 12, 39, 139-140, 156-158, 198, 213-214, 217, 232, 246, 249, 251-252, 260-261, 261, 265

IpaD 67, 155-156, 213-214, 214, 247, 249-251, 260-261, 261, 264-265 IPAF 139, 143-146 IpaH 14, 67, 203, 261, 265 IpaJ 163, 269 Ipa-mxi-spa 81 IpgA 13, 263, 266-267 IpgB 13, 159, 161-162, 198, 217, 263, 265-266, 269 lpgC 13, 68, 74, 83-84, 92, 140, 213, 246, 265 lpgD 13, 161, 198, 236, 262-264, 266-267, 269 IpgE 263, 266-267 IpgF 263 Iron transport system 27-28, 30, 29 IroN 32

L

Lactoferrin 38-39 Lamina propria 193-194 Lipopolysaccharide *See* LPS LPS 11, 39, 50, 175, 201, 229, 231-235, 237

Μ

M cell 57, 140, 151-152, 197, 229-230, 233 Mad2L2 141 MaG 125 MAIT cell 236 MAPK 14, 201-202 Membrane expression of invasion plasmid antigens 264 Mena 181-182 MicF 72 MLCK 196, 200 MreB 177 Mucosa-associated invariant T cell See MAIT cell MxiC 265 MxiE 13, 68, 74-75, 81, 83-86, 94 MxiH 233 MxiL 265 Myosin 159, 182, 189, 200, 222 Myosin light chain kinase See MLCK

Ν

Nad 49, 56-57 Natural killer cell (NK cell) 233-234

Necrotic death 153 Neutrophil extracellular trap (NET) 231-232 NF-κB 162, 201-204, 223, 231 Nicotinic acid 56 NIrC4 162 n-Octyl-oligo-oxyethylene (OPOE) 141 N-WASP 153, 179, 180-182, 199

0

Occludin 195 OmpA 124, 127-128 OmpC 90 OmpF 72 OmpR 90 OmpT 49, 58, 175 Optical reconstruction microscopy (STORM) 212, 221 Osp 13, 14, 81-84, 202-204, 234, 265-267, 269 OxyR 36

Ρ

Paneth cell 193-194 Paracellualr transport 194-195 ParB 79-80 Pathogen-associated molecular patterns (PAMP) 201 PBP 30-31, 34 Periplasmic binding protein See PBP PhoP 88-89 Photoactivated localization microscopy (PALM) 212, 215-216, 221 PI3 kinase 161 Pic 16 pINV 65, 67-69, 71, 73, 75, 83, 85-86, 89-90, 91-92, 94, 245 PIP 267-268 Plastin 199 PMN 54, 152, 197 Polymorphorneuclear leukocyte See PMN PopB 140-141, 146 Profilin 181-182, 199 Protein interaction platform See PIP Pyroptosis 57, 139-140, 143, 145, 201

R

Rab 163, 218 Rac 153-154, 157-158, 198, 217, 218 Reactive arthritis 12 Rho 153-155, 160, 180, 198, 217 Rhodotorulic acid 32 Ribo-regulator 109-111, 113, 116, 118, 122, 124, 128, 129, 130 Riboswitch 111, 114-117 RNA mediated regulation 125 RNA thermometer 37, 111, 113, 115-116, 124, 126-130 RnaG 77, 124-125 RNA-mediated regulation 109-110 Rns 77-78 RyfA 118, 123, 130 RyhB 34-35, 89-90, 118-121, 130

S

Salmochelin 32, 39 Scar/WAVE 153 SepA 15 Septin 221-222 SER 260, 2620264 Sfh 68-69, 71-72 ShET 15-16, 54-55 ShiA 119-120 Shiga toxin 15, 52 Shigella entry region See SER Shigella pathogenicity island 51-52, 68 Shu 125-126 ShuA 27, 37, 127 Siderocalin 39 Siderophore 27-28, 30-32, 56 SipA 162 SipB 140-141, 146 SipC 157, 162 Sit 34, 37, 39-41 Skp 174 Small RNA 111-112, 114, 118, 121-123, 125, 128-130 SodB 34, 118-119, 122 SopA 174 SopB 161-162 SopE 161-162, 215 SoxS 36 Spa 264 Spa15 83-84, 266-267 Spa32 88, 265 Spa33 88, 249 Spa47 246 SpeG 57 Spermidine 57 SptP 215 Src 154-155, 217

Stimulated emission depletion 212 StpA 69, 71-72 Structured illumination microscopy 212 Superoxide dismutase See SodB SurA 174 Surface presentation of Ipa antigens –see Spa

Т

T3SS 12, 14, 51-53, 57, 66, 88, 95, 121, 139, 142, 144, 146, 153, 155-157, 172, 198, 212-214, 216-217, 223, 230, 236, 243, 246, 248-249, 251-253, 259, 263-264, 269-270 Talin 160-161 Tectonin domain-containing protein 199 TH17 231. 236 Tight junction 14, 194-197, 200-201 TNF-alpha 201, 232, 236 Toca-1 180-182 TonB 30, 32-33, 37, 39 **TRAF6 203** Transcellular 194 Transcription-based secretion reporter 214 Transferrin 38 Tricellulin 200-201, 222 Type 3 secretion system (T3SS/TTSS) See T3SS

V

Vasodilator-stimulated phosphoprotein 181-182, 199 Vinculin 14, 160, 181-182 VirA 13, 163, 198, 265, 269 VirB 13, 69, 73, 75-76, 78-83, 85, 87, 89-90, 92, 121-123, VirF 35, 69, 73, 75-78, 86, 90, 92, 122-123, 213, 245 VirK 67, 89

W

WASP/WAVE family 154 WASP-interacting protein 179 WAVE 161

Χ

Xenosiderophores 32

Υ

YidC 177-178 YopB 140-141, 146

Ζ

Zonula occludens proteins 196-197